### Material Safety Data Sheet

MSDS No 571

Product :

ADCOAT UNI-KLEAN

Issue Date June 11, 2015

Hazardous according to criteria of Worksafe Australia

#### COMPANY DETAILS

Adcoat Graphic Solutions 3 / 17 Stennett Road Ingleburn NSW 2565 Australia Tel: (612) 9605 3000

### **IDENTIFICATION**

L			
Product Name	ADCOAT UNI-KLEAN		
Product Code	180216		
Proper Shipping Name	NONE ALLOCATED		
Un Number	None Allocated		
DG Class	Non Allocated		
Packaging Group	Non Allocated		
Hazchem Code	Non Allocated		
Poisons Schedule	Not Scheduled		
Product Use	General heavy duty industrial & dome	estic cleaner	
Physical Data			
Appearance, Odour	Brownish liquid		
Melting Point	Not Applicable		
Boiling Point	100ºC		
Vapour Pressure	Not Available		
Specific Gravity	1.015		
Flash Point	Not Applicable		
	Not Applicable		
Flammability Limits	Soluble		
Solubility in Water Other Properties			
-	89.0%		
Volatile Component	Not Applicable		
Autoignition Temperature	Not Available		
Evaporation Rate			
Vapour Density	Not Available		
Ingredients			
Ingredients	<u>Name</u>	CAS	Proportion
	di sodium trioxoslicate	6834-92-0	<5%
	Glycol ether	111-76-2	<5%

Ethoxylated alcohols

coconut diethanolamide

<5%

<5%

68439-46-3

8051-30-7

# **Material Safety Data Sheet**

Page 2 of 3

MSDS No 571

Product :

ADCOAT UNI-KLEAN

Issue Date June 11, 2015

Ingredients

Hazardous

Name

according to criteria of Worksafe Australia

CAS

Proportion

### HEALTH HAZARD INFORMATION

Acute - Swallowed Acute - Eye	Swallowing may cause irritation to mouth, throat and stomach possibly resulting in nausea and vomiting. Severe eye irritant.
Acute - Skin	Contact with skin may result in irritation. Repeated or prolonged exposure to the skin may cause dermatitis.
Acute - Inhaled	May cause irritation to the nose, throat and respiratory system with effects including dizziness and headache
Chronic	Chronic over exposure may result in skin irritation and defatting of the skin.

First Aid		
Swallowed	If swallowed, do not induce vomiting, rinse mouth thoroughly with water, give water to drink and seek urgen medical advice.	
Eye Skin	Flush eyes with plenty of water for 15 minutes and seek urgent medical advice. Remove contaminated clothing and wash affected area on skin thoroughly with soap and water. If irritation occurs, seek medical advice.	
Inhaled	Remove victim to fresh air. Seek medical advice if adverse effects occur.	
First Aid Facilities	Eye wash fountains and safety showers should be available for emergency use.	

Advice to Doctor

Treat symptomatically.

#### Other Health Hazard Information

### PRECAUTIONS FOR USE

**Exposure Limits** 

No exposure limits have been reported for this product. The following is a recommendation.

Engineering Controls

Exposure Standard TWA is the Time Weighted Average aiborne concentration over an eight hour working day for a five day working week over an entire working life. Provide adequate ventilation. No special precautions are considered necessary.

### Personal Protection

**Protective Equipment** 

When exposure is likely, personal protection equipment in a combination appropriate to the degree and nature of exposure, should be selected from the following list :(1) Eye protection

- (2) PVC gloves
- (3) PVC apron and sleeves, or full PVC apron
- (4) PVC or rubber boots

## **Material Safety Data Sheet**

MSDS No 571

Product :

ADCOAT UNI-KLEAN

Issue Date June 11, 2015

Hazardous

according to criteria of Worksafe Australia

### Flammability

**Fire Hazards** 

Not Flammable under conditions of use

### SAFE HANDLING INFORMATION

### Storage and Transport

Storage Precautions	Store secured in a dry well ventilated place. Do not store below 0C or above 50C Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Storage and Transport	Store in cool place out of direct sunlight. Store away from sources of heat or ignition. Ensure containers are in good condition and properly sealed.
Proper Shipping Name	NONE ALLOCATED

### Spills and Disposal

Spills & Disposal	Slippery when spilt. Use absorbent - sand or similar. Place used absorbent in suitable sealed containers for disposal. Wear appropriate personal protective equipment.	
Disposal	Do not empty into drains or watercourses, inform local authorities if this occurs. Waste and empty containers must be disposed in accordance with local regulations.	

### **Fire/Explosion Hazard**

Fire/Explosion Hazard	Not Flammable.
Hazardous Combustion Products	Product is not considered flammable and will not support combustion.
Extinguishing Media	Use extinguisher in accordance with primary source of fire.
Hazchem Code	Non Allocated

### OTHER INFORMATION

Risk Statement	R36/37/38 Irritating to the eyes, skin and respiratory system. R41 Risk of serious damage to the eyes
Safety Statement	S61 Avoid release to the environment. S62 If swallowed do not induce vomiting, seek medical advice immediately.S24/26 Avoid contact with skin and eyes.
Hazard Category	None Allocated

### CONTACT POINT

	Technical Services, Phone (612) 9605 3000	
Contact	Whilst every care has been taken in compiling these instructions, Adcoat Graphic Solution contractors and agents neither warrant or represent that the material published herein is errors or omissions. To the extent permissable by the law, Adcoat Graphic Solutions, its shall not be liable or responsible for errors, omisions or misrepresentation made herein. The information given is based on our knowledge of health and safety data of this produc publication. It is given in good faith. The attention of the user is drawn to the possible risl product for any purpose other than that for which it was intended. Adcoat Graphic Soluti products sold is subject to our standard terms and conditions sent to customers. No liab regard to the handling, processing or use of the product concerned which, in all cases, s with appropriate regulations and / or legislation.	accurate or free from employees, contractors and agents ct, at the time of ks incurred by using the ons responsibility for lity can be accepted with
End of Report	with appropriate regulations and / or registation.	Page 3