



Proudly AUSTRALIAN owned.

Liquid & Film Laminates
Penetrating Sealers
Advanced Water Based Coatings
Graffiti Removers & Cleaners
Full Coating Application Services

ADCOAT Graphic Solutions P/L
Unit 2 / 8 Kerr Road
Ingleburn NSW 2565.
Ph: 02 9605 3000
Fax: 02 9605 3222

Technical Data Information

Product name : **ADSHIELD – water based penetrating protective sealer providing non-sacrificial anti-graffiti treatment.**

Product Description :

ADSHIELD provides an invisible natural look, whilst protecting the surface from both water and oil based contaminants. **ADSHIELD** is a fast curing, water based sealer and can be used indoors or out, with no unpleasant odour or flammability problems.

ADSHIELD is an advanced fluoro-bond technology water based penetrating sealer that does not change the natural appearance of the surface it is protecting.

Suitable applications : Use on natural stone including granite, marble, sandstone, limestone, travertine, terracotta, slate is also ideal for treatment of concrete, brickwork, pavers and grout.

Key Features of ADSHIELD :

- Water based, non flammable
- Maximum protection for natural stone against water damage and staining.
- Provides superior stain resistance properties against contaminants such as: oil, grease and graffiti defacement.
- Does not alter the coefficient of friction or slip factor.
- Assists in eliminating the occurrence of efflorescence.
- Reduces Moss, mould and algae growth.
- Reduces corrosion attack on steel reinforcing.
- Retains a natural look.
- Breathable, allows water vapour to escape.
- Deep penetrating.
- Alkali resistant
- Salt barrier, ideal around saltwater pools or marinas.
- **ADSHIELD** will last up to **15 years** or longer dependant on application and weather conditions and quality and abuse of the surface.
- No odour.
- Non film forming, will not flake or peel
- 2 coat application required for optimum product performance



Proudly AUSTRALIAN owned.

Liquid & Film Laminates
Penetrating Sealers
Advanced Water Based Coatings
Graffiti Removers & Cleaners
Full Coating Application Services

ADCOAT Graphic Solutions P/L
Unit 2 / 8 Kerr Road
Ingleburn NSW 2565.
Ph: 02 9605 3000
Fax: 02 9605 3222

Coverage Rate guide :

Coverage Per Litre	Textured	Honed	Polished
Travertine	8-12m2	12-15m2	20-25m2
Granite	10-14m2	14-18m2	22-26m2
Bluestone / Basalt	8-12m2	12-15m2	20-25m2
Marble	8-12m2	12-15m2	20-25m2
Limestone	7-10m2	8-12m2	18-22m2
Concrete Pavers / Brickwork	7-10m2	8-12m2	18-22m2
Sandstone / Bessa Block	7-10m2	10-14m2	14-18m2
Slate	10-14m2	14-18m2	N/A
Porcelain	10-14m2	N/A	N/A
Concrete	7-10m2	8-12m2	18-22m2

Note : the above coverage rates are : m2 per litre / per coat. (these rates are only to be used as a guide).

Application of Product

- Surface to be treated can be dry or damp but must be cleaned.
- Apply liberally, by spray, flood coat spreading with bristle broom, sponge or roller.
- Give whole surface a "wet" look.
- Two coat application required.
- Wipe off any runs or surplus product before and after second coat.
- Leave for 5-20 minutes then re-apply a second coat whilst still wet.
- Allow to dry, water repellency will be evident immediately the surface appears
- Pedestrian traffic allowed after 2-4 hours dependent on drying conditions
- Curing time from application of last coat – 24 hours (depending on weather conditions).

Cleaning of equipment

- Clean tools with water before material dries.

Storage

- Close container tightly after each use
- Store in original container only
- Store in and use in temperatures between (7° C to 29° C)



Proudly AUSTRALIAN owned.

Liquid & Film Laminates
Penetrating Sealers
Advanced Water Based Coatings
Graffiti Removers & Cleaners
Full Coating Application Services

ADCOAT Graphic Solutions P/L
Unit 2 / 8 Kerr Road
Ingleburn NSW 2565.
Ph: 02 9605 3000
Fax: 02 9605 3222

Health Precautions

MAY BE HARMFUL IF SWALLOWED. MAY IRRITATE EYES AND SKIN. Wear skin and eye protection. If in eyes, flush with water for at least 15 minutes. If on skin, wash with soap and water. If irritation persists, seek medical attention. If swallowed, DO NOT induce vomiting. Seek medical attention.

Contact Us :

ADCOAT Graphic Solutions
Unit 2 / 8 Kerr Road
Ingleburn NSW 2565.

Ph : 02 9605 3000